



Certificate of Analysis

Compliance Test

Client Information:

CRESCENT DISTRIBUTIONS
4505 MAGAZINE STREET
NEW ORLEANS, LA 70115

Batch # WM_1009
Batch Date: 2025-01-02
Extracted From: Organic Hemp Flower

Test Reg State: Florida

Order # CRE250110-010001
Order Date: 2025-01-10
Sample # AAGH476

Sampling Date: 2025-01-13
Lab Batch Date: 2025-01-13
Completion Date: 2025-01-20

Volume: 355 ml



Product Image



Potency
Tested



HHC Metals
Passed



HHCP
Tested



Mycotoxins
Passed



Pesticides
Passed



Pathogenic Microbiology
Passed



Microbiology (qPCR)
Passed



Microbiology Petrifilm
Tested



Microbiology Petrifilm
Tested

Delta 8/Delta 10 Potency 13 - (LCUV) + Potency 25 (LCUV)

Tested

SOP13.001 (LCMS)

Specimen Weight: 20000.000 mg

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (µg/ml)	(%)
Delta-9 THC	8.000	2.80E-4	0.075	27.9000	0.00279
CBN	8.000	1.40E-5	0.0015	0.7947	7.95E-5
CBC	8.000	2.76E-5	0.075	<LOQ	<LOQ
CBD	8.000	5.40E-5	0.0015	<LOQ	<LOQ
CBDA	8.000	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	8.000	6.50E-5	0.0015	<LOQ	<LOQ
CBG	8.000	2.48E-4	0.0015	<LOQ	<LOQ
CBGA	8.000	8.00E-5	0.0015	<LOQ	<LOQ
Delta-10 THC	8.000	3.00E-6	0.0015	<LOQ	<LOQ
Delta-8 THC	8.000	2.60E-5	0.0015	<LOQ	<LOQ
Delta6a10a-THC	8.000	8.47E-5	0.0015	<LOQ	<LOQ
THCA-A	8.000	3.20E-5	0.0015	<LOQ	<LOQ
THCV	8.000	7.00E-6	0.0015	<LOQ	<LOQ
CBCA	8.000	1.07E-4	0.0015	<LOQ	<LOQ
CBDVA	8.000	1.40E-5	0.0015	<LOQ	<LOQ
CBL	8.000	3.50E-5	0.0015	<LOQ	<LOQ
CBNA	8.000	9.50E-5	0.0015	<LOQ	<LOQ
CBT	8.000	2.00E-4	0.0015	<LOQ	<LOQ
Delta-8 THC-O Acetate	8.000	2.70E-5	0.003	<LOQ	<LOQ
Delta-8 THCV	8.000	4.00E-5	0.0015	<LOQ	<LOQ
Delta-9 THC-O Acetate	8.000	7.70E-5	0.003	<LOQ	<LOQ
Delta8-THCP *	8.000	3.75E-4	0.0015	<LOQ	<LOQ
Delta9-THCP *	8.000	1.17E-5	0.0012	<LOQ	<LOQ
Exo-THC	8.000	2.30E-4	0.0015	<LOQ	<LOQ
THCB *	8.000	1.80E-4	0.00195	<LOQ	<LOQ
THCH *	8.000	3.50E-4	0.00195	<LOQ	<LOQ
THCVA	8.000	4.70E-5	0.0015	<LOQ	<LOQ
Total Active CBD	8.000			<LOQ	<LOQ
Total Active THC	8.000			0.028	0.00279



Potency Summary

Total Delta 8	ND	Total Delta 10	ND
Total HHC	ND	Total Active THC	0.00279% 9.905mg
Total Active CBD	ND	Total CBG	ND
Total CBN	7.9E-5% 0.28mg	Total Cannabinoids	0.00287% 10.189mg
Total DELTA-9 THC	0.00279% 9.905mg		

Summary Results determined from two distinct Potency Tests - Delta 8/Delta 10 Potency 13 - (LCUV) + Potency 25 (LCUV)

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

Compliance Test

Client Information:

CRESCENT DISTRIBUTIONS
4505 MAGAZINE STREET
NEW ORLEANS, LA 70115

Batch # WM_1009
Batch Date: 2025-01-02
Extracted From: Organic Hemp Flower

Test Reg State: Florida

Order # CRE250110-010001
Order Date: 2025-01-10
Sample # AAGH476

Sampling Date: 2025-01-13
Lab Batch Date: 2025-01-13
Completion Date: 2025-01-20

Volume: 355 ml

PCR Total Yeast and Mold

Specimen Weight: 503.500 mg

Passed
SOP13.017 (qPCR)

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	LOQ (cfu/g)	Result (cfu/g)
Total Yeast/Mold	100000	1000	<LOQ
Prep. By: 1161	Date: 2025-01-14 10:19:26	Analyzed By: 1161	Date: 2025-01-14 10:19:26
Reviewed By: 1161	Date: 2025-01-14 16:40:09	Lab Batch #: AAGH476-218	Date: 2025-01-14 16:40:09

Microbiology ACTYM (Petrifilm/Plating)

Specimen Weight: 997.400 mg

Tested
SOP13.003 (Petrifilm)

Dilution Factor: 1.000

Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Aerobic Bacteria	10	100000	<LOQ
Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Yeast/Mold	10	10000	<LOQ

Bile Tolerant Gram-Negative Bacteria

Specimen Weight: 997.400 mg

Tested
SOP13.003 (Petrifilm)

Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Bile tolerant gram-negative bacteria	10	100000	<LOQ


Pathogenic Microbiology SAE (MicroArray)

Specimen Weight: 1006.300 mg

Passed
SOP13.019 (Micro Array)

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g


Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

CRESCENT DISTRIBUTIONS
4505 MAGAZINE STREET
NEW ORLEANS, LA 70115

Batch # WM_1009
Batch Date: 2025-01-02
Extracted From: Organic Hemp Flower

Test Reg State: Florida

Order # CRE250110-010001
Order Date: 2025-01-10
Sample # AAGH476

Sampling Date: 2025-01-13
Lab Batch Date: 2025-01-13
Completion Date: 2025-01-20

Volume: 355 ml



Mycotoxins

Specimen Weight: 606.000 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.480

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					



HHC Metals

Specimen Weight: 253.900 mg

Passed
SOP13.051 (ICP-3; icp-1)

Dilution Factor: 196.928

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	1.9E-2	100	200	<LOQ	Nickel (Ni)	1.5E-1	250	500	<LOQ
Cadmium (Cd)	4.0E-3	100	200	<LOQ	Palladium (Pd)	7.0E-3	50	100	<LOQ
Lead (Pb)	1.0E-2	100	500	<LOQ	Platinum (Pt)	1.3E-2	50	100	<LOQ
Mercury (Hg)	4.4E-2	100	200	<LOQ	Zinc (Zn)	4.1E-1	1000	na	<LOQ


HHCP

Specimen Weight: 20000.000 mg

Tested
SOP13.050 (LCMS)

Dilution Factor: 4000.000

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%) Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.6600E-6	0.075	<LOQ	<LOQ CBC	2.760000E-5	0.075	<LOQ	<LOQ
(9S)-HHC	6.6000E-6	0.075	<LOQ	<LOQ Delta-8 THC methyl ether	2.480000E-4	0.075	<LOQ	<LOQ
(±)-9β-hydroxy-HHC	7.7800E-6	0.075	<LOQ	<LOQ Delta-9 THC	2.8000E-4	0.075	27.9000	2.79
1(R)-H4-CBD	7.330000E-7	0.15	<LOQ	<LOQ Delta-9 THC methyl ether	1.600000E-4	0.075	<LOQ	<LOQ
1(S)-H4-CBD	6.630000E-7	0.15	<LOQ	<LOQ H2-CBD	1.440000E-7	0.075	<LOQ	<LOQ
9(R)-HHCP	3.0900E-5	0.075	<LOQ	<LOQ Total HHC		0.075	<LOQ	<LOQ
9(S)-HHCP	2.5500E-5	0.075	<LOQ	<LOQ				



Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

CRESCENT DISTRIBUTIONS
4505 MAGAZINE STREET
NEW ORLEANS, LA 70115

Batch # WM_1009
Batch Date: 2025-01-02
Extracted From: Organic Hemp Flower

Test Reg State: Florida

Order # CRE250110-010001
Order Date: 2025-01-10
Sample # AAGH476

Sampling Date: 2025-01-13
Lab Batch Date: 2025-01-13
Completion Date: 2025-01-20

Volume: 355 ml




Pesticides

Specimen Weight: 606.000 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.480

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	300	<LOQ	Fludioxonil	1.7400E+0	48	3000	<LOQ
Acephate	2.3000E-2	30	3000	<LOQ	Hexythiazox	4.9000E-2	30	2000	<LOQ
Acequinocyl	9.5640E+0	48	2000	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	3000	<LOQ	Imidacloprid	9.4000E-2	30	3000	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	1000	<LOQ
Azoxystrobin	8.1000E-2	10	3000	<LOQ	Malathion	8.2000E-2	30	2000	<LOQ
Bifenazate	1.4150E+0	30	3000	<LOQ	Metalaxyl	8.1000E-2	10	3000	<LOQ
Bifenthrin	4.3000E-2	30	500	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	3000	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	3000	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	3000	<LOQ
Chlorantraniliprole	3.3000E-2	10	3000	<LOQ	Naled	9.5000E-2	30	500	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Paclobutrazol	6.5000E-2	30	100	<LOQ
Chlormequat Chloride	1.0800E-1	10	3000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	200	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	1000	<LOQ
Clofentezine	1.1900E-1	30	500	<LOQ	Phosmet	8.2000E-2	30	200	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	1000	<LOQ	Prallethrin	7.9800E-1	30	400	<LOQ
Cypermethrin	1.4490E+0	30	1000	<LOQ	Propiconazole	7.0000E-2	30	1000	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	200	<LOQ	Pyrethrins	2.3593E+1	30	1000	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	3000	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	3000	<LOQ
Dimethomorph	5.8300E+0	48	3000	<LOQ	Spinosad	8.8000E-2	30	3000	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	3000	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	3000	<LOQ
Etoxazole	9.5000E-2	30	1500	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	3000	<LOQ	Tebuconazole	6.7000E-2	30	1000	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	2000	<LOQ	Thiamethoxam	5.0000E-2	30	1000	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	3000	<LOQ
Flonicamid	5.1700E-1	30	2000	<LOQ					


Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

