



## CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

**PRODUCT NAME** High Potency THC Raspberry Lemonade

**BULK SKU** BEV.D9.RL50.4PK

**BATCH #** 04726-1

**SERVING SIZE** 1 Can (473 mL)

**LABORATORY** Anresco

| POTENCY                            | PER SERVING |            | PER GRAM |      |
|------------------------------------|-------------|------------|----------|------|
| Cannabidiol (CBD)                  | 56.8        | mg/serving | 0.116    | mg/g |
| Total THC (d9-THC, THCA)           | 53.4        | mg/serving | 0.109    | mg/g |
| Cannabigerol (CBG)                 | 3.78        | mg/serving | 0.00774  | mg/g |
| Cannabinol (CBN)                   | <LOQ        | mg/serving | <LOQ     | mg/g |
| Cannabichromene (CBC)              | <LOQ        | mg/serving | <LOQ     | mg/g |
| Tetrahydrocannabinolic Acid (THCA) | <LOQ        | mg/serving | <LOQ     | mg/g |
| Delta-9-THC (d9-THC)               | 53.4        | mg/serving | 0.109    | mg/g |
| Delta-8-THC (d8-THC)               | <LOQ        | mg/serving | <LOQ     | mg/g |

| HEAVY METALS | PER GRAM |      | REGULATORY ACTION LEVEL |
|--------------|----------|------|-------------------------|
| Arsenic      | <LOQ     | µg/g | 1.5 µg/g                |
| Cadmium      | <LOQ     | µg/g | 0.5 µg/g                |
| Lead         | <LOQ     | µg/g | 0.5 µg/g                |
| Mercury      | <LOQ     | µg/g | 3.0 µg/g                |

| RESIDUAL SOLVENTS      | PER GRAM |      | REGULATORY ACTION LEVEL |
|------------------------|----------|------|-------------------------|
| Ethanol <sup>[1]</sup> | 2470     | µg/g | 5,000 µg/g              |
| Heptane                | <LOQ     | µg/g | 5,000 µg/g              |

None of the other residual solvents tested were found above the regulatory action level.

| MICROBIAL              | PASS/FAIL |
|------------------------|-----------|
| Yeast & Mold           | Pass      |
| Total Aerobic Bacteria | Pass      |

### PESTICIDES

None of the 50+ pesticides tested were found above the limit of detection.

Production facility information  
New York State Department of Agriculture and Markets  
Establishment number 748015

Laboratory information  
Anresco Laboratories  
1375 Van Dyke Ave, San Francisco, CA 94124  
ISO/IEC 17025:2017 accreditation ANAB AT-1551



1. LOQ: Limit of Quantitation  
Ethanol is a food additive used in some of our ingredients. The FDA has labeled ethanol as Generally Recognized as Safe (GRAS). Many foods contain trace amounts of ethanol, including soy sauce, pasta sauces, fruits and juices, etc. Our products contain safe levels of ethanol and always below pertinent regulatory action levels.

## ANALYZED BY:

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
DEA# PA0202945

## CUSTOMER:

Lazarus Naturals  
Attn: Sequoia Price-Lazarus/Evan  
1116 NW 51st Street  
Seattle, WA 98107



## SAMPLE INFORMATION

**Sample No.:** 1385300  
**Product Name:** BEV.D9.RL50.4PK-04726-1  
**Matrix:** Edible (Carbonated Beverage)  
**Lot #:** 04726-1

**Date Collected:** 02/18/2026  
**Date Received:** 02/19/2026  
**Date Reported:** 02/26/2026

## TEST SUMMARY

|                                  |          |                                 |        |
|----------------------------------|----------|---------------------------------|--------|
| <b>Cannabinoid Profile:</b>      | ✓ Tested | <b>Microbiological Screen:</b>  | ✓ Pass |
| <b>Pesticide Residue Screen:</b> | ✓ Pass   | <b>Residual Solvent Screen:</b> | ✓ Pass |
| <b>Heavy Metal Screen:</b>       | ✓ Pass   | <b>Foreign Material:</b>        | ✓ Pass |
| <b>Mycotoxin Screen:</b>         | ✓ Pass   |                                 |        |

## Cannabinoid Profile ✓ Tested

02/23/2026

**Method:** MF-CHEM-15

**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)

**Limit of Detection** 0.0017 mg/g

**Limit of Quantitation** 0.0050 mg/g

| Cannabinoid                   | mg/g     | %      | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference |
|-------------------------------|----------|--------|-------|------------|------------|--------------------|--------------|
| Δ8-THC                        | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| Δ9-THC                        | 0.110    | 0.0110 | 0.113 | 53.61      | 53.61      | 50                 | 7.22         |
| Δ9-THCA                       | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| THCV                          | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| THCVA                         | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| CBD                           | 0.116    | 0.0116 | 0.120 | 56.74      | 56.74      | 50                 | 13.48        |
| CBDA                          | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| CBC                           | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| CBCA                          | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| CBDV                          | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| CBG                           | 0.008    | 0.0008 | 0.008 | 3.82       | 3.82       | -                  | -            |
| CBGA                          | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| CBN                           | <LOQ     | <LOQ   | <LOQ  | <LOQ       | <LOQ       | -                  | -            |
| Exo-THC                       | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| (6aR,9R)-Δ10-THC              | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| (6aR,9S)-Δ10-THC              | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| 9(R)-Hexahydrocannabinol      | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| 9(S)-Hexahydrocannabinol      | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| Δ8-THC-O-Acetate              | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| Δ9-THC-O-Acetate              | ND       | ND     | ND    | ND         | ND         | -                  | -            |
| THC-O-Phosphate               | NT       | NT     | NT    | NT         | NT         | -                  | -            |
| Total THC                     | 0.110    | 0.0110 | 0.113 | 53.61      | 53.61      | -                  | -            |
| Total CBD                     | 0.116    | 0.0116 | 0.120 | 56.74      | 56.74      | -                  | -            |
| Total Cannabinoids            | 0.233    | 0.0233 | 0.241 | 114.16     | 114.16     | -                  | -            |
| Sum of Cannabinoids           | 0.233    | 0.0233 | 0.241 | 114.16     | 114.16     | -                  | -            |
| <b>Serving Weight (g)</b>     | 489.1293 |        |       |            |            |                    |              |
| <b>Package Weight (g)</b>     | 489.1293 |        |       |            |            |                    |              |
| <b>g/ml Conversion Factor</b> | 1.0341   |        |       |            |            |                    |              |

Total THC = Δ8-THC + Δ9-THC + (0.877 \* THCA)

Total CBD = CBD + (0.877 \* CBDA)

Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

**Comment(s):** This result of this sample is confirmed with a retest.

## Microbiological Screen ✔ Pass

02/24/2026

| Analyte                              | Findings     | Units | Method             | Limit        | Status |
|--------------------------------------|--------------|-------|--------------------|--------------|--------|
| Coliforms                            | 0/10         | cfu/g | FDA BAM - ECC Agar | Not Detected | Pass   |
| E. coli                              | Not Detected | /1g   | FDA BAM Modified   | Not Detected | Pass   |
| Standard Plate Count                 | 0/10         | cfu/g | FDA BAM            | 100,000      | Pass   |
| Total Yeast and Mold                 | 0/10         | cfu/g | FDA BAM            | 10,000       | Pass   |
| Bile-Tolerant Gram Negative Bacteria | <1           | cfu/g | AOAC 2003.01       | 1,000        | Pass   |
| STEC                                 | Not Detected | /25g  | MF-MICRO-18        | 1.0          | Pass   |
| Aspergillus flavus                   | Not Detected | /25g  | MF-MICRO-14        | 1.0          | Pass   |
| Aspergillus fumigatus                | Not Detected | /25g  | MF-MICRO-14        | 1.0          | Pass   |
| Aspergillus niger                    | Not Detected | /25g  | MF-MICRO-14        | 1.0          | Pass   |
| Aspergillus terreus                  | Not Detected | /25g  | MF-MICRO-14        | 1.0          | Pass   |

## Pesticide Residue Screen ✔ Pass

02/26/2026

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte                 | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------------------|----------------|-----------------|--------------|--------|
| Abamectin               | 0.04/0.10      | ND              | 0.1          | Pass   |
| Acephate                | 0.02/0.06      | ND              | 0.06         | Pass   |
| Acequinocyl             | 0.04/0.10      | ND              | 0.1          | Pass   |
| Acetamiprid             | 0.017/0.05     | ND              | 0.05         | Pass   |
| Aldicarb                | 0.02/0.06      | ND              | 0.06         | Pass   |
| Azoxystrobin            | 0.02/0.06      | ND              | 0.06         | Pass   |
| Bifenazate              | 0.02/0.06      | ND              | 0.06         | Pass   |
| Bifenthrin              | 0.04/0.10      | ND              | 0.1          | Pass   |
| Boscalid                | 0.02/0.06      | ND              | 0.06         | Pass   |
| Captan                  | 0.20/0.60      | ND              | 0.7          | Pass   |
| Carbaryl                | 0.02/0.06      | ND              | 0.06         | Pass   |
| Carbofuran              | 0.017/0.05     | ND              | 0.05         | Pass   |
| Chlorantraniliprole     | 0.02/0.06      | ND              | 0.06         | Pass   |
| Chlordane               | 0.02/0.06      | ND              | 0.06         | Pass   |
| Chlorfenapyr            | 0.02/0.06      | ND              | 0.06         | Pass   |
| Chlorpyrifos            | 0.02/0.06      | ND              | 0.06         | Pass   |
| Clofentezine            | 0.02/0.06      | ND              | 0.1          | Pass   |
| Coumaphos               | 0.02/0.06      | ND              | 0.06         | Pass   |
| Cyfluthrin              | 0.04/0.10      | ND              | 0.1          | Pass   |
| Cypermethrin            | 0.04/0.10      | ND              | 0.1          | Pass   |
| Daminozide              | 0.017/0.05     | ND              | 0.05         | Pass   |
| DDVP (Dichlorvos)       | 0.013/0.04     | ND              | 0.04         | Pass   |
| Diazinon                | 0.017/0.05     | ND              | 0.05         | Pass   |
| Dimethoate              | 0.017/0.05     | ND              | 0.05         | Pass   |
| Dimethomorph            | 0.017/0.05     | ND              | 0.05         | Pass   |
| Ethoprop(hos)           | 0.02/0.06      | ND              | 0.06         | Pass   |
| Etofenprox              | 0.02/0.06      | ND              | 0.06         | Pass   |
| Etoazole                | 0.02/0.06      | ND              | 0.06         | Pass   |
| Fenhexamid              | 0.017/0.05     | ND              | 0.05         | Pass   |
| Fenoxycarb              | 0.02/0.06      | ND              | 0.06         | Pass   |
| Fenproximate            | 0.02/0.06      | ND              | 0.1          | Pass   |
| Fipronil                | 0.02/0.06      | ND              | 0.06         | Pass   |
| Flonicamid              | 0.02/0.06      | ND              | 0.06         | Pass   |
| Fludioxonil             | 0.02/0.06      | ND              | 0.06         | Pass   |
| Hexythiazox             | 0.02/0.06      | ND              | 0.06         | Pass   |
| Imazalil                | 0.02/0.06      | ND              | 0.06         | Pass   |
| Imidacloprid            | 0.02/0.06      | ND              | 0.06         | Pass   |
| Kresoxim Methyl         | 0.02/0.06      | ND              | 0.06         | Pass   |
| Malathion               | 0.017/0.05     | ND              | 0.05         | Pass   |
| Metaxyl                 | 0.017/0.05     | ND              | 0.05         | Pass   |
| Methiocarb              | 0.02/0.06      | ND              | 0.06         | Pass   |
| Methomyl                | 0.013/0.04     | ND              | 0.04         | Pass   |
| Methyl parathion        | 0.02/0.06      | ND              | 0.06         | Pass   |
| Mevinphos               | 0.02/0.06      | ND              | 0.06         | Pass   |
| Myclobutanil            | 0.02/0.06      | ND              | 0.06         | Pass   |
| Naled                   | 0.02/0.05      | ND              | 0.1          | Pass   |
| Oxamyl                  | 0.013/0.04     | ND              | 0.04         | Pass   |
| Paclobutrazol           | 0.02/0.06      | ND              | 0.06         | Pass   |
| Pentachloronitrobenzene | 0.02/0.05      | ND              | 0.1          | Pass   |
| Permethrins             | 0.04/0.10      | ND              | 0.1          | Pass   |
| Phosmet                 | 0.02/0.06      | ND              | 0.06         | Pass   |
| Piperonyl Butoxide      | 0.017/0.05     | ND              | 0.05         | Pass   |
| Prallethrin             | 0.04/0.10      | ND              | 0.1          | Pass   |

| Analyte         | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-----------------|----------------|-----------------|--------------|--------|
| Propiconazole   | 0.02/0.06      | ND              | 0.06         | Pass   |
| Propoxur        | 0.013/0.04     | ND              | 0.04         | Pass   |
| Pyrethrins      | 0.15/0.50      | ND              | 0.5          | Pass   |
| Pyridaben       | 0.017/0.05     | ND              | 0.05         | Pass   |
| Spinetoram      | 0.02/0.06      | ND              | 0.06         | Pass   |
| Spinosad        | 0.02/0.06      | ND              | 0.1          | Pass   |
| Spiromesifen    | 0.04/0.10      | ND              | 0.1          | Pass   |
| Spirotetramat   | 0.02/0.06      | ND              | 0.06         | Pass   |
| Spiroxamine     | 0.017/0.05     | ND              | 0.05         | Pass   |
| Tebuconazole    | 0.02/0.06      | ND              | 0.06         | Pass   |
| Thiacloprid     | 0.013/0.04     | ND              | 0.04         | Pass   |
| Thiamethoxam    | 0.02/0.06      | ND              | 0.06         | Pass   |
| Trifloxystrobin | 0.02/0.06      | ND              | 0.06         | Pass   |

## Residual Solvent Screen ✓ Pass

02/26/2026

Measurement of Uncertainty Average: ±1.43%

| Analyte                              | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|--------------------------------------|----------------|-----------------|--------------|--------|
| 1,1-Dichloroethene                   | 2/4            | ND              | 8            | Pass   |
| 1,2-Dichloroethane                   | 0.2/0.5        | ND              | 1            | Pass   |
| Acetone                              | 14/40          | ND              | 750          | Pass   |
| Acetonitrile                         | 14/40          | ND              | 60           | Pass   |
| Benzene                              | 0.2/0.5        | ND              | 1            | Pass   |
| n-Butane                             | 14/40          | ND              | 800          | Pass   |
| Chloroform                           | 0.2/0.5        | ND              | 1            | Pass   |
| Ethanol                              | 14/40          | 2470.00         | 5000         | Pass   |
| Ethyl acetate                        | 14/40          | <LOQ            | 400          | Pass   |
| Ethyl ether                          | 14/40          | ND              | 500          | Pass   |
| Ethylene oxide                       | 0.2/0.5        | ND              | 1            | Pass   |
| n-Heptane                            | 14/40          | ND              | 500          | Pass   |
| n-Hexane                             | 14/40          | ND              | 100          | Pass   |
| Isopropyl alcohol                    | 14/40          | 102.00          | 500          | Pass   |
| Methanol                             | 14/40          | ND              | 250          | Pass   |
| Methylene chloride                   | 0.2/0.5        | ND              | 1            | Pass   |
| n-Pentane                            | 14/40          | ND              | 750          | Pass   |
| Propane                              | 14/40          | ND              | 210          | Pass   |
| Toluene                              | 14/40          | ND              | 150          | Pass   |
| Total xylenes (ortho-, meta-, para-) | 14/40          | ND              | 150          | Pass   |
| Trichloroethylene                    | 0.2/0.5        | ND              | 1            | Pass   |

## Heavy Metal Screen ✓ Pass

02/26/2026

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.033/0.101    | ND              | 0.5          | Pass   |
| Cadmium | 0.047/0.141    | ND              | 0.5          | Pass   |
| Mercury | 0.014/0.05     | ND              | 0.5          | Pass   |
| Lead    | 0.107/0.324    | ND              | 0.5          | Pass   |

## Foreign Material ✓ Pass

02/24/2026

Method: MF-CHEM-7

| Analyte                        | Findings | Limit    | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND       | 25%      | Pass   |
| Mold                           | ND       | 25%      | Pass   |
| Imbedded Foreign Material      | ND       | 25%      | Pass   |
| Insect Fragment                | ND       | 1 per 3g | Pass   |
| Hair                           | ND       | 1 per 3g | Pass   |
| Mammalian Excreta              | ND       | 1 per 3g | Pass   |

## Mycotoxin Screen ✔ Pass

02/26/2026

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte      | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|--------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1 | 2/5             | ND               | 20            | Pass   |
| Aflatoxin B2 | 2/5             | ND               | 20            | Pass   |
| Aflatoxin G1 | 2/5             | ND               | 20            | Pass   |
| Aflatoxin G2 | 2/5             | ND               | 20            | Pass   |
| Ochratoxin A | 6/18            | ND               | 20            | Pass   |

ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

Reported by




Vu Lam  
Lab Co Director



Scan to verify