



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 1

Feel Good Sparkling Cannabis Wine

Sample ID: 2606NBL1010.2783

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/10/2026

Completed: 06/17/2026

Expires: 06/17/2027

External Lot ID:

Batch#:

Client

Hemp and Tea Company

Lic. #

15906 N Old Statesville Rd Suite A Huntersville, NC 28078

(704) 248-8657 info@hempandteacompany.com



Summary

Test
Cannabinoids

Date Tested
06/17/2026

Result
Complete

Cannabinoids

Complete

25.780 mg/unit

Total THC

0.0055%

Δ^9 -THC

17.887 mg/unit

Total CBD

43.667 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	1.1824	1.774	ND	ND	ND
9R-HHC	1.1824	1.774	ND	ND	ND
(6aR,9S)-d10-THC	1.1824	1.774	ND	ND	ND
9S-HHC	1.1824	1.774	ND	ND	ND
CBC	1.1824	1.774	ND	ND	ND
CBCa	1.1824	1.774	ND	ND	ND
CBD	1.1824	1.774	17.887	0.03790	0.004
CBDa	1.1824	1.774	ND	ND	ND
CBDV	1.1824	1.774	ND	ND	ND
CBDVa	1.1824	1.774	ND	ND	ND
CBG	1.1824	1.774	ND	ND	ND
CBGa	1.1824	1.774	ND	ND	ND
CBN	1.1824	1.774	ND	ND	ND
CBNa	1.1824	1.774	ND	ND	ND
Δ^8 -THC	1.1824	1.774	ND	ND	ND
Δ^9 -THC	1.1824	1.774	25.780	0.05462	0.005
THCa	1.1824	1.774	ND	ND	ND
THCp	1.1824	1.774	ND	ND	ND
THCV	1.1824	1.774	ND	ND	ND
THCVa	1.1824	1.774	ND	ND	ND
Total THC			25.780	0.05462	0.005
Total CBD			17.887	0.03790	0.004
Total			43.667	0.09252	0.009

Date Tested: 06/17/2026

Density: 1 mL = 1.002 g, Unit Mass: 472.944 g, 1 Unit = 16 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/17/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval ($k=2$). Filth and Foreign Testing Method - CON-P-11000.