New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Stargazer Sparkling Cannabis Beverage

Sample ID: 2606NBL1083.2981
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/17/2026
Completed: 06/22/2026
Expires: 06/22/2027
External Lot ID:
Batch#: 01052026

Client
Hemp and Tea Company
Lic. #
15906 N Old Statesville Rd Suite A Huntersville, NC 28078
(704) 248-8657 info@hempandteacompany.com



Summary

Test	Date Tested	Result
Cannabinoids	06/18/2026	Complete

Cannabinoids

Complete

69.626 mg/unit	0.0144%	27.481 mg/unit	98.974 mg/unit
Total Δ9-THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	1.2071	1.811	ND	ND	ND
9R-HHC	1.2071	1.811	ND	ND	ND
(6aR,9S)-d10-THC	1.2071	1.811	ND	ND	ND
9S-HHC	1.2071	1.811	ND	ND	ND
CBC	1.2071	1.811	ND	ND	ND
CBCa	1.2071	1.811	ND	ND	ND
CBD	1.2071	1.811	27.481	0.05822	0.006
CBDa	1.2071	1.811	ND	ND	ND
CBDV	1.2071	1.811	ND	ND	ND
CBDVa	1.2071	1.811	ND	ND	ND
CBG	1.2071	1.811	ND	ND	ND
CBGa	1.2071	1.811	ND	ND	ND
CBN	1.2071	1.811	ND	ND	ND
CBNa	1.2071	1.811	ND	ND	ND
Δ8-THC	1.2071	1.811	1.867	0.00396	0.000
Δ9-THC	1.2071	1.811	69.626	0.14751	0.014
THCa	1.2071	1.811	ND	ND	ND
THCp	1.2071	1.811	ND	ND	ND
THCV	1.2071	1.811	ND	ND	ND
THCVa	1.2071	1.811	ND	ND	ND
Total THC			**69.626**	**0.14751**	**0.014**
Total CBD			**27.481**	**0.05822**	**0.006**
Total			**98.974**	**0.20969**	**0.020**

Date Tested: 06/18/2026
Density: 1 mL = 1.023 g, Unit Mass: 482.856 g, 1 Unit = 16 fl oz
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total Δ9-THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.

Ashley Phillips
Laboratory Director
06/22/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.